

County of San Diego

JACK MILLER DIRECTOR

DEPARTMENT OF ENVIRONMENTAL HEALTH COMMUNITY HEALTH DIVISION

9325 HAZARD WAY, SAN DIEGO, CA 92123-1217 (858) 694-2888 FAX (858) 694-3559 1-800-253-9933 www.sdcdeh.org ELIZABETH POZZEBON ASSISTANT DIRECTOR

Eye Gnat Nuisance Prevention Plan (2010) Checklist Bornt Farm, Jacumba

Date	10-7-10 Inspector JESSE Rowin
	Is the entire western border of the farm planted with trap crops? Yes No If no, where missing? No IRIZATION TO TRAP CROPS
0	When trap crop last treated? Date: 9-29-10 No Records AUAILAble Stated Verbally from OLG9
	If no, why?
Trapp	ing Collar traps in good working order with all components and filled with bait?
_	Yes (No) O Bait: Yes (No) Funnels: Yes (No) Clear tops: Yes (No)
1	ALOT OF DRY TRAPS AT Section G \$ L
	o If no, what needs repair: ALOT OF DRY TRAPS AT Section G \$ L 16 NON WORKING THAP IN THE COP TO NON WORKING TRAPS COP C
- 10	Traps placed less than 10 feet apart? (Yes) No
0	Traps extend from Mexican border to northern most end of farm? Yes No o If no, where missing?
0	Average height of traps above ground less than 36 inches? Yes No o If no, how high?

Chem o	nical Cor Entrust	or Pyrethrum being applied? No Record? Was Applied on 9-28-10
	0 (Checked applications records? Yes No not Available Checked purchase receipts? Yes No
		rol Methods
	_	matter being dried on the surface? (Yes) No f no, what is being done and where?
0,	Weeds o I	being sprayed with herbicides and not tilled? Yes No foo, why? Hand Crew Pulling weeds
0		bservations regarding weed control (evidence of tilling, hand crews g, piles of weeds, etc.)? Hand crew pulling weed 5
	•	Mana crew porning weeks
0	Specific	areas in fallow period and any associated activity:
		No Fallow areas
the pl	lan.	events taking place in the field that may indicate non compliance to ps not being irrigated.
No	record	ls available Olga verbally stated TRAP crops
910 44	acort .	1-29-10 \$ Entrust treatment on 9-28-10
Other	Comme	orking traps in section J and 10 non working
TRAP	5 At	setion C
	•	•